Assignment 5

Textbook Assignment: "Pneumatics," chapter 11; "Basic Diagrams and Systems," chapter 12; chapters 9 and 10.

Learning Objective: Recall facts pertaining to the development of gases and the characteristics of gases.

- 5-1. Pneumatic power is most commonly used in complex systems.
 - 1. True
 - 2. False
- 5-2 Which of the following characteristics is/are true for gases?
 - 1. They have no definite volume
 - 2. They have no definite shape
 - Gases are lighter than equal volumes of liquids
 - 4. All of the above

Learning Objective: Relate the common temperature scales by converting temperature readings between them.

IN ANSWERING QUESTIONS 5-3 THROUGH 5-6, SELECT FROM COLUMN B THE TEMPERATURE THAT CORRESPONDS TO THE ABSOLUTE ZERO TEMPERATURE FOR EACH OF THE SCALES IN COLUMN A.

	A. SCALES	В.	TEMPERATURES
5-3.	Celsius	1.	-460°
		2.	-273°
5-4.	Fahrenheit		
5-5.	Kelvin	3.	0 °
5-6.	Rankine		

- 5-7. Which of the following statements is true concerning absolute zero?
 - It is the temperature at which no heat remains in a gas but not the lowest temperature obtainable
 - It was attained only once, at which time the absolute zero point of -273.16°C was determined
 - 3. It is the temperature at which all molecular activity in a substance ceases
 - 4. It is the temperature to which liquids, solids, and gases can be reduced and at which most molecular activity ceases

IN ANSWERING QUESTIONS 1-8 THROUGH 5-12 REFER TO FIGURE 11-1 IN YOUR TEXTBOOK.

- 5-8. What is the Celsius scale equivalent of 68°F?
 - 1 5.7°C
 - 2. 20.0°C
 - 3. 37.7°C
 - 4. 52.0°C
- 5-9. What is the Kelvin scale equivalent of 68°F?
 - 1. 253°K
 - 2. 273°K
 - 3. 293°K
 - 4. 341°K
- 5-10. What is the Rankine scale equivalent of 68°F?
 - 1. 341°R
 - 2. 441°R
 - 3. 460°R
 - 4. 528°R

- 5-11. What Is the Celsius scale equivalent of 263°K?
 - 90°C
 - 10°C 2..
 - 0°c 3.
 - -10°C 4.
- 5-12. What is the Fahrenheit scale equivalent of 263°K?
 - -18°F
 - -14°F 2.
 - 14°F 3.
 - 18°F 4.

Learning Objective: Recognize the pressure characteristics of gases and liquids, including how pressure is caused by the weight of the atmosphere, and identify how pressures are measured.

- 5-13. Gases exert equal pressure on all surface areas of their containers.
 - 1. True
 - False 2.
- When a reading is taken of the pressure in an automobile tire, what does the gauge reading represent?
 - Local atmospheric pressure plus the absolute pressure
 - Absolute pressure minus the local atmospheric pressure
 - Local atmospheric pressure minus the absolute pressure
 - 4. Absolute pressure
- 5-15. What is the absolute pressure (psia) in a cylinder that has a gauge reading of 1990 psig?
 - 1. 1843
 - 2. 1975.3
 - 2004.7 3.
 - 4. 2137
- What is the gauge pressure (psig) of a container that has an internal pressure of 113 psia?
 - 1.
 - 2. 99.7 125.3
 - 3.
 - 4 127.7

- Whenever you apply the gas laws, you must use absolute pressure. 5-17
 - True
 - False

Learning Objective: Identify various theories, laws, and properties of gases, correlate these with applicable formulas, and solve related problems.

- 5-18 When you observe that the pressure of gas in a sealed container has increased, you can assume that
 - 1. heat has been absorbed by the gas
 - heat has been removed from the gas
 - the kinetic energy of the gas has decreased
 - 4. molecules of the gas gained energy from each other while colliding
- 5-19. Four cubic feet of nitrogen are under a pressure of 50 psig. If the nitrogen is compressed to 2 cubic feet, what is the new gauge pressure?
 - 104 psig 114.7 psig 1.
 - 2.
 - 3.
 - 124 psig
- 5-20. A cylinder of gas at $75^{\circ}F$ has a pressure of 900 psig, To what maximum temperature may it be heated without exceeding 1000 psig?
 - 1. 211.9°F
 - 2. 174.9°F
 - 3. 158.4°F
 - 133.4°F
- The general gas equation used in the study of gases is a 5-21. combination of the gas laws of
 - Charles and Boyle 1
 - 2. Charles and Kelvin
 - 3. Boyle and Fahrenheit
 - Boyle, Charles, and Kelvin

- 5-22. has a gauge pressure of 100 psig. If the volume of the gas is expanded to 6 cubic feet and the gas heated to a temperature of 90°F, what will the new gauge pressure be?
 - 67.9 psig
 - 2. 69.4 psig
 - 3. 71.5 psig
 - 4. 73.6 psig

Learning Objective: Recognize characteristics of gases used in pneumatic systems, safety precautions for handling compressed gas, and color codes of compressed gas cylinders.

- 5-23. In addition to being nonpoisonous and free from any acids that might cause system corrosion, the gas used as the fluid medium for a pneumatic system must possess which of the following characteristics?
 - 1. Nonflammability
 - Chemical stability Ready availability
 - 3.
 - 4. All of the above
- The gases used in Navy pneumatic systems are similar to the 5-24. liquids used in hydraulic systems, except that the gases are not
 - acid free
 nontoxic

 - 3. good lubricants
 - 4. chemically stable
- What characteristic of compressed 5-25. air makes it undesirable as a medium for pneumatic systems?
 - Its toxicity 1.
 - Its flammability
 - Its moisture content
 - Its lubricating qualities
- 5-26. In all compressed air systems, the compressor, due to the unlimited supply of air, is installed in the distribution lines leading to the device to be operated.
 - 1. True
 - 2. False

- Four cubic feet of a gas at $40^{\circ}F$ 5-27. Which of the following statements is NOT true of LP air systems?
 - The LP air system is supplied with LP air by LP air compressors
 - The LP air system is supplied with air by the HP air system supplying air through a
 - pressure-reducing station
 The LP air system is supplied
 with air by the MP air system
 supplying air through a pressure-reducing station
 - 4. LP compressed air is used in the production of nitrogen
 - 5-28. Why is the use of nitrogen preferred over the use of compressed air in many aircraft and missile pneumatic systems?
 - Nitrogen cannot support living organisms
 - 2. Nitrogen cannot support combustion and fire
 - Nitrogen does not cause rust or decay of the surfaces with which it comes in contact
 - 4. All of the above
 - 5-29. Which of the following steps can a maintenance person take to control contamination of pneumatic systems?
 - Install an air filter in the supply line
 - Keep all tools and the work air clean and dirt free
 - Cap or plug all lines and fittings immediately after disconnecting them
 - 4. Both 2 and 3 above
 - You must NEVER use the contents of a cylinder identified by which 5-30. of the following color codes for purging an oxygen system?
 - 1. Gray

 - Black
 One black stripe around its
 - 4. One green stripe around its

- 5-31. Inasmuch as compressed air is neither toxic nor flammable, the ordinary precautions for handling compressed gases do not apply to handling it.
 - 1. True
 - 2. False
- 5-32. Inasmuch as nitrogen is nontoxic, the usual ventilation precautions need not be observed when nitrogen is used in confined spaces.
 - True
 - 2. False
- 5-33. Which, if any, of the following operations is an acceptable practice during the use of compressed gases?
 - Perform general space cleanup 1.
 - Tighten leaking portions of compressed gas systems while they are pressurized to
 - ensure that you stop the leak Pressurize empty lines and vessels rapidly
 - None of the above

Learning Objective: Recognize the importance of diagrams and symbols, identify symbols used in diagrams, and types of diagrams.

- 5-34. For a mechanic or technician. which of the following aids is/are provided by diagrams?
 - Location of components within 1. a system
 - 2. Location of general components
 - Understanding of how a system operates
 - All of the above

REFER TO APPENDIX II OF YOUR TEXTBOOK IN ANSWERING QUESTIONS 5-35 THROUGH 5-3B.

FOR QUESTIONS 5-35 THROUGH 5-38, SELECT FROM COLUMN B THE MECHANICAL SYMBOL FOR EACH HYDRAULIC SYSTEM COMPONENT LISTED TN COLUMN A.

COMPONENTS B__ SYMBOLS

Sequence valve 5-35.



5-36. Variable displacement pump

Pressure gauge

5-37. Check Valve


5-38.

REFER TO APPENDIX III OF YOUR TEXTBOOK IN ANSWERING QUESTIONS 5-39 through 5-41.

FOR QUESTIONS 5-35 THROUGH 5-41, SELECT FROM COLUMN B THE AERONAUTICAL MECHANICAL SYMBOL FOR EACH HYDRAULIC SYSTEM COMPONENT LISTED IN COLUMN.

COMPONENTS B. SYMBOLS


5-39. Power-driven pump




5-40.Actuating cylinder

2.

5-41. Automatic check valve





FOR. QUESTIONS 5-42 THROUGH 5-45, SELECT FROM COLUMN B THE DIAGRAM THAT IS DEFINED IN COLUMN A.

A. DEFINITIONS DIAGRAMS В.

- 5-42. Shows the intern- 1. al parts of the components
 - tion Pictorial 2.

Combina-

- 5-43. Shows the general location of components
- 3. Graphic
- 5-44. Uses symbols, shows actual appearance, and shows internal working part
- 4. Cutaway
- 5-45. Uses symbols to show components
- Which of the following diagrams includes the interconnecting 5-46. system piping?
 - Combination
 - 2. Pictorial
 - 3. Graphic
 - Each of the above
- Which, if any, of the following 5-47. diagrams contains pipe sizes and data on the sequence of system operation?
 - Combination
 - Pictorial
 - 3. Graphic
 - None of the above
- 5-48. A schematic diagram of a hydraulic system enables a mechanic to accomplish which of the following tasks?
 - Understand the operation of 1 the system
 - Identify components of the system
 - Trace the flow of fluid through the system
 - All of the above

- Which of the following 5-49. statements about an oper-center hydraulic system is false?
 - The directional control valves are connected in parallel
 - There is no pressure in the system when the actuators are idle
 - The system may have any number of subsystems with a directional control valves, for each
 - The pump circulates fluid from the reservoir, through the directional control valves, and back to the reservoir
- 5-50. Why are closed-center hydraulic systems the most widely used systems.?
 - They provide smooth operation of their actuators
 - They eliminate continuous system pressurization
 - They operate very rapidly
 - They do all of the above

Learning Objective: Recognize Navy applications, component functions. construction features, and operating characteristics of hydraulic power drive systems.

- 5-51. Hydraulic power drives are used in the Navy to perform which of the following functions?
 - Drive and control winches, capstans , and windlasses Train and elevate nearly all
 - calibers of guns
 - Position rocket and missile launchers
 - 4. All of the above

QUESTIONS 5-52 THROUGH 5-55, SELECT FROM IN QUESTIONS 5-59 THROUGH 5-62, SELECT COLUMN B THE HYDRAULIC POWER DRIVE SYSTEM COMPONENT TO WHICH EACH STATEMENT IN COLUMN A APPLIES.

	A. STATEMENTS B.	COMPONENTS
5-52.	It can be an electric motor	1. A- end
		2. B-end
5-53.	It is a hydraulic motor mover	3. Prime
5-54.	It is a hydraulic pump	
5-55.	It can be a gaso- line enigine	
	10 5	

REFER TO FIGURE 12-5 IN YOUR TEXTBOOK IN ANSWERING QUESTIONS 5-56 THROUGH 5-62.

- The forward shaft of the prime mover drives which of the following components?
 - The hydraulic pump
 - 2. The hydraulic motor
 - The auxiliary pumps
 - 4. All of the above
- What type of pump is the A-end 5-57. pump of this power drive?
 - 1. Axial-flow variabledisplacement
 - Radial-flow variabledisplacement
 - 3. Axial-flow constantdisplacement
 - Radial-flow constantdisplacement
- 5-58. Which of the following statements is true concerning the operation of the A-end?
 - Its output is variable because it is driven at a variable speed
 - Its output is constant because it is driven at a constant speed
 - 3. Its output is variable even though it is driven at a constant speed
 - 4. Its output is constant even though it is driven at a variable speed

FROM COLUMN B THE AUXILIARY PUMP THAT PERFORMS EACH FUNCTION LISTED IN COLUMN Α.

5-59. Transmits a puls- ing effect to the fluid in the res- ponse pressure 5-60. Replaces fluid in the active systems of the power drive 5-61. Supplies high- pressure fluid to the various pistons in the system 5-62. Pumps leakage to the expansion tank		A. FUNCTIONS	<u>B.</u>	PUMPS
5-60. Replaces fluid in the active systems oscilof the power drive lator 5-61. Supplies highpressure fluid to pressure fluid to the various pistons in the system 5-62. Pumps leakage to the	5-59.	ing effect to the	1.	-
5-60. Replaces fluid in the active systems oscilof the power drive lator 5-61. Supplies high- 3. Control pressure fluid to pressure fluid to the various pistons in the system 5-62. Pumps leakage to the		ponse pressure	2.	-
pressure fluid to pres the various pistons sure in the system 5-62. Pumps leakage to the	5-60.	the active systems		and oscil-
	5-61.	pressure fluid to the various pistons	3.	pres
	5-62.			

- What function(s) does the 5-63. reservoir provide?
 - A method of cleansing and storing fluid
 - A reserve supply of fluid
 - 3. A cooling surface for the fluid
 - Both 2 and 3 above

REFER TO FIGURE 12-6 IN YOUR TEXTBOOK IN AWSWERING OUESTIONS 5-64 AND 5-65.

- 5-64. How is the tilting box positioned?
 - Locally by the stroke control shaft
 - Automatically by the stroke control shaft
 - 3. Mechanically by hand control
 - 4. By each of the above means
- 5-65. The tilting box will not move under which of the conditions listed below?
 - IHP = 385 psi, HPC = 900psi
 - IHP = 500 psi, HPC = 1000psi
 - 3. IHP = 750 psi, HPC = 750psi
 - IHP = 800 psi, HPC = 1000 psi

- 5-66. The direction and speed of the hydraulic motor are controlled by the
 - electric motor 1.
 - 2. hydraulic pump
 - prime mover
 - B-end

REFER TO FIGURE 12-8 IN YOUR TEXTBOOK IN ANSWERING QUESTIONS 5-67 THROUGH 5-71.

- Which of the following components is/are NOT operated by nitrogen from the manually operated nitrogen bottle?
 - Dump valves
 - 2. Nose gear cylinder
 - Main gear unlock cylinders
 - Aft door cylinders
- What provides the force to 5-68. reposition the shuttle valves for emergency operation?
 - Hydraulic fluid
 - 2. Gravity
 - Springs
 - Nitrogen
- 5-69. When the emergency system is actuated, what force extends the main gear after the unlock hooks are released?
 - Gravity
 - Hydraulic pressure
 - 3. Nitrogen pressure
 - 4. A combination of gravity and nitrogen pressure

- 5-70. When the emergency system is actuated, what component is used in the system to prevent a fluid lock in the landing gear?
 - Dump valve
 - 2.
 - Timer valve Relief valve 3.
 - 4. Shuttle valve

REFER TO FIGURE 12-10 IN YOUR TEXTBOOK IN ANSWERING QUESTIONS 5-71 AND 5-72.

- 5-71. How is the main valve in the 4-way valve assembly normally operated?
 - Electrically
 - Hydraulically
 - Manually
- 5-72. What is the function of the orifice plate installed in the lines to port A of the hydraulic cylinders?
 - To control the flow of hydraulic fluid to the cylinder for raising operations
 - 2. To control the flow of hydraulic fluid to the cylinder for lowring operations
 - 3. Both 1 and 2 above
 - To allow for changes in the viscosity of the hydraulic flluid as its temperature changes

COURSE DISENROLLMENT

All study materials must be returned. On disenrolling, fill out only the upper part of this page and attach it to the inside front cover of the textbook for this course. Mail your study materials to the Naval Education and Training Program Management Support Activity.

PRINT CLEARLY

NAVEDTRA NUM	BER		COURSE TITLE
82964			FLUID POWER
Name	Last	First	Middle
Rank/Rate		Designator	Social Security Number
		COURSE COMPLETION	
		Letters of satisfactory completion are issued personnel whose courses are administered by t Education and Training Program Management Sup On completing the course, fill out the lower page and enclose it with your last set of ans Be sure mailing addresses are complete. Mail Naval Education and Training Program Manageme Activity.	he Naval port Activity. part of this wer sheets. to the
	,	PRINT CLEARLY	
NAVEDTRA NUM	BER		COURSE TITLE
82964			FLUID POWER
		Name	
		Name	
		ZIP C	ODE
MY SERVICE R	ECORD IS	HELD BY:	
Activity			
Address			ZIP CODE
Signature of	enrolle		

Under the authority of Title 5 USC 301, information regarding your military or other DOD status is requested on this answer sheet in order to complete a Navy Correspondence Course. The information will also be used to process course completion letters and to construct and maintain an official and continuing record of correspondence course participation. The cumulative course participation record will not be divulged, without written authorization, to anyone other than those within the DOD for official use in determining performance and effecting organizational and administrative management.

PRIVACY ACT STATEMENT

NETPMSA 1550/31 (4-88)

A FINAL QUESTION: What did you think of this course? Of the text material used with the course? Comments and recommendations received from enrollees have been a major source of course improvement. You and your command are urged to submit your constructive criticisms and your recommendations. This tear-out form letter is provided for your convenience. Typewrite if possible, but legible handwriting is acceptable.

		Date
From:	(RANK, RATE, CIVILIAN)	- SSN
		ZIP CODE
To:	Naval Education and Training Program Management Support Activity, Code 0312 Pensacola, Florida 32509-5000	•
Subj:	Fluid Power, NAVEDTRA 82964	

1. The following comments are hereby submitted:

• • • • • • • • • • • • • • • • • • • •	(Fold along dotted line and staple or tape)	· · · · · · · · · · · ·
••••••	(Fold along dotted line and staple or tape)	• • • • • • • • •
DEPARTMENT OF	THE NAVY	
NAVAL EDUCATION AND TRAIN MANAGEMENT SUPPORT ACTIVI		

PENSACOLA, FL 32509-5000

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

TITLE								NA	/EDTRA	
NAME					ADDRES	S			_	
	Last	First	Mi	ddle	_	Street/Ship/L	hit/Divi	sion, e	.c.	
DANK (DATE	בחב בבר	NO				City or FPO	State	ACCI	NIMENT N	Zi
RANK/RATE USN	SOC. SEC.	ACTIVE	☐ INACTIV	F 01	UED (Sno	 cify)			SNMENT N MAILED	ٽ.
				,	nen rope				IIMIEED	SCORE
										JUNE
1	2 3 4 F		1	2 3 F	4		1	2 3	4	L
,			26 🗔	r			51 🗍	r — —		
2 🗆			27 🗆				52 \square			
3 □			28 🗆				53 🗆			
4 🗆			29 🗆				54 🗍			
5 🗀			30 □				55 🗀			
6 🗆			31 🗆			** ** ***	56			
7 🗆			32 🔲				57			
8 🔲			33 🔲				58 🔲			
9 🔲			34 🔲				59			
10 🔲			35 🔲				60 🔲			
11 🔲			36 🔲				61 🔲			
12 🔲			37 🔲				62 🔲			
13 🗀			38 🔲			···	63 🔲			
14 🔲			29 🔲				64 🗌			
15 🗌			40 🔲				65 🔲			
16 🗌			41 🔲							· · · · · · · · · · · · · · · · · · ·
17			42				67 🔲			···
						·				
						 -				
							71 🔲			
24 🗌			49 🗌				74 🔲			

THIS FORM MAY BE LOCALLY REPRODUCED

25 🗌 🗎 🗎 📗 _____